

Call System Version 7.08

1/3/2019	Priority Year	Override Year	Regulation Year
Duncan-Virden	1924		1845
Upper Safford	1924		1845
Middle Safford	1924		1845
Lower Safford	1924		1845
Winkelman	1924		1884
Ashurst-Hayden	1924		1924

NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 19,971 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 5.35 feet below 1881 per data from ASARCO _Water Plane Depth 1875.65 on 1/3/19.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	0.0	21.5	0.0	0.0	0.0
New Model	0.0	8.5	0.0	0.0	0.0
Valley	0.0	7.3	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	0.0	37.3	0.0	0.0	0.0

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	0.0	0.0	0.0	0.0	No	No
New Model	0.0	0.0	0.0	0.0	No	No
Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

Upper Safford

Brown	0.0	8.5	0.0	0.0	0.0
Fourness	0.0	0.7	0.0	0.0	0.0
San Jose	0.0	36.6	0.0	0.0	0.0
Montezuma	0.0	34.6	0.0	0.0	0.0
Union Sunflower	0.0	56.7	0.0	0.0	0.0
Graham	0.0	23.9	0.0	0.0	0.0
Smithville	0.0	23.5	0.0	0.0	0.0
Dodge-Nevada	0.0	20.6	0.0	0.0	0.0
TOTAL	0.0	205.0	0.0	0.0	0.0

Brown	0.0	0.0	0.0	0.0	No	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	0.0	0.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

Middle Safford

Curtis	0.0	19.2	0.0	0.0	0.0
Fort Thomas	0.0	15.9	0.0	0.0	0.0
TOTAL	0.0	35.1	0.0	0.0	0.0

Curtis	0.0	0.0	0.0	0.0	No	No
Fort Thomas	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

Lower Safford

Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
TOTAL	0.0	0.0	0.0	0.0	0.0

Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

Winkelman

ASARCO	N/A	N/A	14.1	N/A	14.1
Kearny	0.2	1.3	0.2	0.2	0.0
Winkelman Ag	0.0	2.0	0.0	0.0	0.0
TOTAL	0.2	3.2	14.3	0.2	14.1

ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.2	0.2	0.2	0.2	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
TOTAL	14.2	14.2	14.2	14.2		

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIDD	0.0	0.0	5.9
Pima Agency	0.0	229.8	9.1
TOTAL	0.0	229.8	15.0

San Carlos Min. Pool	
CAP Exchange	0.0
Minimum Pool	1

SCIDD Call	0.0	0.0	0.0	0.0	Yes
SCIDD Order	0.0	0.0	0.0	0.0	Yes
Pima Agency Call	0.0	0.0	0.0	0.0	Yes
P.A. Order	0.0	0.0	0.0	0.0	Yes
TOTAL ORDER	0.0	0.0	0.0	0.0	

Available River Flow

Duncan	202.1
Safford	200.1

Sudden Freshets in UV	No
Sudden Freshets in LV	No
Is Cosper's Crossing Dry	No

Coolidge Data	1/2/19	A-H Data	1/3/19
Inflow to CD	153.0	AH Diversions	15.0
Coolidge Release	3.0	SW @ AH	0.0
SWR from CD	0.0	NF @ AH	15.0
NFR from CD	3.0	NF not Rel. @ AH	150.0
NF not Released	150.0	Total NF @ AH	180.0

Reservoir Data	1/2/19	Inflow (-)	Available for Release
SC Res Elevation	2,413.08	(AF)	to SCIIP
SC Res Storage	19,972		
SC Res AF	269	298	19,971

Water Quality Data	1/2/19
Water Quality at San Jose	0
Water Quality at Smithville	0.0
WQ at Fort Thomas	0
Water Quality at Geronimo	1,183
River Flow at Geronimo	158.0
Seasonal Average Salinity	2,704
WQ at Anderson Flat	0

River Data	Estimated Gage Today	Today 1/3/19	Yesterday 1/2/19	Day -1 1/1/19	Day -2 12/31/18	Day -3 12/30/18	Day -4 12/29/18	Day -5 12/28/18
Gila at Blue Creek	No	99.0	97.0	95.0	97.0	93.0	93.0	97.0
San Francisco at Clifton	No	59.0	59.0	59.0	58.0	61.0	61.0	63.0
Duncan-Virden Diversions		0.0	0.0	0.0	0.0	0.0	0.0	3.0
D-V Gain		13.0	13.0	14.0	13.0	13.0	9.0	22.0
Head of Safford	No	169.0	167.0	169.0	167.0	167.0	166.0	169.0
Safford Diversions		0.0	3.8	4.4	15.3	15.6	15.3	34.4
Safford Gain		-10.2	-11.6	-8.7	-8.4	-18.7	-4.6	-2.2
Calva	No	153.0	153.0	143.0	143.0	132.0	130.0	125.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	3.0	3.0	3.0	3.0	3.0	3.0	3.0
CD-AH Actual Flow Gain		41.3	52.6	46.2	47.3	47.3	66.3	106.3
Kelvin	No	22.0	23.0	26.0	25.0	28.0	35.0	56.0
Winkelman Diversions		14.3	15.6	9.2	10.3	10.3	9.3	9.3
AH Spilled & Sluiced		15.0	20.0	20.0	20.0	20.0	30.0	50.0
AH Diversions	No	15.0	20.0	20.0	20.0	20.0	30.0	50.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		9.1	5.9
Excess NF	0.0		
Excess NF Div		0.0	-5.9
Total NF Div.		9.1	0.0
NF as SW	5.9		
Total SW	5.9		
SW Div.		0.0	0.0
Excess SW	5.9		
Excess SW Div.		0.0	5.9
Total SW Div.		0.0	5.9
Total Div.		9.1	5.9