

Call System Version 7.08

11/8/2018	Priority Year	Override Year	Regulation Year
Duncan-Virden	1924		1874
Upper Safford	1924		1887
Middle Safford	1924		1914
Lower Safford	1924		1845
Winkelman	1924		1884
Ashurst-Hayden	1924		1924

NOTES

1) Minimum Pool "B" = 0 Ac-ft (Awaiting Court decision)
 2) Stored Water Available for release 12,342 Ac-ft.
 ****Total on call system Box "Available for release" includes 1) & 2)
 ASARCO Monitor Well Corrected data 2.52 feet below 1881 per data from ASARCO _Water Plane Depth 1878.48 on 11/8/18.

Duncan	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Sunset	5.0	26.9	5.0	5.0	0.0
New Model	0.0	18.2	0.0	0.0	0.0
Valley	0.0	8.2	0.0	0.0	0.0
Laura Short	0.0	0.0	0.0	0.0	0.0
TOTAL	5.0	53.3	5.0	5.0	0.0

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Sunset	5.0	5.0	5.0	5.0	No	No
New Model	0.0	0.0	0.0	0.0	No	No
Valley	0.0	0.0	0.0	0.0	No	No
Laura Short	0.0	0.0	0.0	0.0	No	No
TOTAL	5.0	5.0	5.0	5.0		

Upper Safford	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Brown	5.2	10.3	4.8	4.8	0.0
Fourness	0.0	2.0	0.0	0.0	0.0
San Jose	0.0	40.6	0.0	0.0	0.0
Montezuma	0.0	40.5	0.0	0.0	0.0
Union Sunflower	0.0	62.6	0.0	0.0	0.0
Graham	0.0	42.4	0.0	0.0	0.0
Smithville	0.0	24.8	0.0	0.0	0.0
Dodge-Nevada	0.0	26.4	0.0	0.0	0.0
TOTAL	5.2	249.7	4.8	4.8	0.0

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Brown	5.6	5.6	5.6	5.6	Yes	No
Fourness	0.0	0.0	0.0	0.0	No	No
San Jose	0.0	0.0	0.0	0.0	No	No
Montezuma	0.0	0.0	0.0	0.0	No	No
Union Sunflower	0.0	0.0	0.0	0.0	No	No
Graham	0.0	0.0	0.0	0.0	No	No
Smithville	0.0	0.0	0.0	0.0	No	No
Dodge-Nevada	0.0	0.0	0.0	0.0	No	No
TOTAL	5.6	5.6	5.6	5.6		

Middle Safford	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Curtis	0.0	20.0	0.0	0.0	0.0
Fort Thomas	13.9	15.7	13.6	13.6	0.0
TOTAL	13.9	35.7	13.6	13.6	0.0

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Curtis	0.0	0.0	0.0	0.0	No	No
Fort Thomas	15.7	15.7	15.7	15.7	No	No
TOTAL	15.7	15.7	15.7	15.7		

Lower Safford	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
Colvin-Jones	0.0	0.0	0.0	0.0	0.0
Apache	0.0	0.0	0.0	0.0	0.0
TOTAL	0.0	0.0	0.0	0.0	0.0

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
Colvin-Jones	0.0	0.0	0.0	0.0	No	No
Apache	0.0	0.0	0.0	0.0	No	No
TOTAL	0.0	0.0	0.0	0.0		

Winkelman	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
ASARCO	N/A	N/A	15.5	N/A	15.5
Kearny	0.4	1.3	0.4	0.4	0.0
Winkelman Ag	0.0	2.0	0.0	0.0	0.0
TOTAL	0.4	3.2	15.9	0.4	15.5

	Today Day 1	Today+1 Day 2	Today+2 Day 3	Today+3 Day 4	Potential Problems	Apport. Exhausted
ASARCO	14.0	14.0	14.0	14.0	Yes	No
Kearny	0.4	0.4	0.4	0.4	No	No
Winkelman Ag	0.0	0.0	0.0	0.0	No	No
TOTAL	14.4	14.4	14.4	14.4		

SCIIP The division of water below Ashurst-Hayden Dam may or may not reflect the actual SCIIP division of water

SCIIP	Call Entitlement	Priority Entitlement	Total Diverted
SCIDD	0.0	24.1	7.9
Pima Agency	0.0	223.1	12.1
TOTAL	0.0	247.3	20.0

San Carlos Min. Pool	Call Entitlement
CAP Exchange	0.0
Minimum Pool	1

SCIIP	Call Entitlement	Priority Entitlement	Total Diverted	Priority Diverted	Apport. Diverted
SCIDD Call	0.0	0.0	0.0	0.0	Yes
SCIDD Order	0.0	0.0	0.0	0.0	Yes
Pima Agency Call	0.0	0.0	0.0	0.0	Yes
P.A. Order	0.0	0.0	0.0	0.0	Yes
TOTAL ORDER	0.0	0.0	0.0	0.0	

Available River Flow	Flow
Duncan	162.2
Safford	190.2

Sudden Freshets	UV	LV	Cosper's Crossing Dry
Sudden Freshets in UV	No		
Sudden Freshets in LV	No		
Is Cosper's Crossing Dry	No		

Coolidge Data	11/7/18	A-H Data	11/8/18
Inflow to CD	130.0	AH Diversions	20.0
Coolidge Release	3.0	SW @ AH	0.0
SWR from CD	0.0	NF @ AH	20.0
NFR from CD	3.0	NF not Rel. @ AH	127.0
NF not Released	127.0	Total NF @ AH	167.0

Reservoir Data	11/7/18	Inflow (-)	Available for Release (AF)	to SCIIP
SC Res Elevation	2,408.88			
SC Res Storage	12,343			
SC Res AF	142	137	12,342	

Water Quality Data	11/7/18
Water Quality at San Jose	0
Water Quality at Smithville	0.0
WQ at Fort Thomas	840
Water Quality at Geronimo	1,122
River Flow at Geronimo	130.0
Seasonal Average Salinity	2,704
WQ at Anderson Flat	0

River Data	Estimated Gage Today	Today 11/8/18	Yesterday 11/7/18	Day -1 11/6/18	Day -2 11/5/18	Day -3 11/4/18	Day -4 11/3/18	Day -5 11/2/18
Gila at Blue Creek	No	111.0	135.0	120.0	110.0	120.0	120.0	130.0
San Francisco at Clifton	No	61.0	65.0	67.0	71.0	71.0	75.0	79.0
Duncan-Virden Diversions		5.0	0.0	0.0	0.0	0.0	0.0	0.0
D-V Gain		-37.0	-20.0	-7.0	-12.0	-14.0	-16.0	-10.0
Head of Safford	No	163.0	167.0	174.0	179.0	181.0	193.0	189.0
Safford Diversions		18.4	18.3	18.9	13.1	13.1	13.3	13.3
Safford Gain		-25.7	-25.1	-33.9	-28.9	-36.7	-34.7	-39.3
Calva	No	123.0	130.0	132.0	139.0	143.0	141.0	143.0
San Carlos	No	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gila Below Coolidge Dam	No	54.0	3.0	3.0	3.0	3.0	7.0	55.0
CD-AH Actual Flow Gain		52.9	53.0	52.4	52.3	28.4	-18.6	1.4
Kelvin	No	2.0	5.0	11.0	26.0	48.0	48.0	46.0
Winkelman Diversions		15.9	16.0	15.4	15.3	15.4	16.4	16.4
AH Spilled & Sluiced		20.0	20.0	20.0	20.0	0.0	0.0	20.0
AH Diversions	No	20.0	20.0	20.0	20.0	20.0	20.0	20.0

SCIIP Division of Water	Flow	Pima Agency	SCIDD
NF Div.		12.1	7.9
Excess NF	0.0		
Excess NF Div		0.0	0.0
Total NF Div.		12.1	7.9
NF as SW	0.0		
Total SW	0.0		
SW Div.		0.0	0.0
Excess SW	0.0		
Excess SW Div.		0.0	0.0
Total SW Div.		0.0	0.0
Total Div.		12.1	7.9