

OFFICE OF THE
GILA WATER COMMISSIONER

P.O. BOX 152
SAFFORD, ARIZONA 85548

JON W. ALLRED
GILA WATER COMMISSIONER

PHONE: (928) 428-3220
FAX: (928) 428-6534
CELL: (928) 651-5563

UNITED STATES DISTRICT COURT
vs.
GILA VALLEY IRRIGATION DISTRICT, et al.
Case No. CV31-59-TUC-SRB
(a/k/a Globe Equity No. 59)

MONTHLY SUMMARY

April 29, 2008

San Carlos Reservoir

As of midnight March 31, 2008:

Elevation (ft)	2,471.68
Reservoir Storage (ac-ft)	362,077
Maximum mean daily discharge (cfs)	691
Water available for release to SCIIP (ac-ft)	357,324
Minimum Pool Storage (ac-ft)	4,752
Minimum Pool "B" Storage (ac-ft)	736
Reservoir change during the month (ac-ft)	-284
Computed Evaporation for the month (ac-ft)	4,938
Bank (ac-ft) [Storage (+) Release (-)]	-2,096

Consumptive use for the "Upper Valleys"

Calculated in accordance with the Decree (ac-ft)	3,814
Accumulated consumptive use, Year to Date (ac-ft)	-23,953

A 2008 Consumptive Use Tracking Table with graph is on Page 3.

Data compiled in the Commissioner's Monthly Summary may not coincide with the values used in the computations of the Daily Call System. The Monthly Summary is based on mean daily values. The Call System is calculated on instantaneous values.

The Gila Water Commissioner also provides information on the Internet that includes text of the Gila Decree, the most recent Monthly Summary, Daily Call System Reports, and the San Francisco-Upper Gila River Basin mountain snow pack. The Commissioner's Home Page Address is <http://www.gilawater.org>.

Gila River @ Head of Safford Valley

Mean daily discharge averaged (cfs)	694
Maximum mean daily discharge (cfs)	3/3/08 1,120

Ashurst-Hayden Dam

Spilled and sluiced during Month (ac-ft)	0
Total spilled and sluiced, Year to Date (ac-ft)	11,506

APPORTIONMENTS

Apportionment Number	Effective Date	Reservoir Available Storage in Ac-Ft	Adjusted T.B.I. Acres	Apportionment Ac-Ft/Acre	Re-Allocation	Accumulated Apportionment
1	01/01/08	138,289	27,351.92	5.06		5.06
Reallocation No. 1 of 1	02/01/08	138,289	29,675.95		-0.40	4.66
Reallocation No. 2 of 1	03/14/08	138,289	30,724.76		-0.16	4.50
2	02/01/08	76,269	30,724.76	2.57		7.07
Reallocation No. 1 of 2	03/14/08	76,269	30,724.76		-0.09	6.98
3	03/01/08	76,812	30,724.76	2.50		9.48

Cosper Crossing - 2008

When the Gila River in the vicinity of Cosper Crossing was observed or reported by an observer to be flowing, the Duncan and Safford Valleys canal diversions were regulated on the same Date (year) of Priority. When the Gila River was observed to not be flowing or dry in the vicinity, the total Gila River flow in the Duncan Valley was issued to the Duncan/Virden canals.

Date	Vacinity Status	Verification
07/15/07	FLOW	REPORTED

Date	Vicinity Status	Verification

SAN CARLOS RESERVOIR MINIMUM POOL

The Court filed an order on August 27, 1999, stipulating that a portion of the stored water in the San Carlos Reservoir would be retained in the reservoir (Minimum Pool) in exchange for an equal amount of Central Arizona Project ("CAP") water purchased by the San Carlos Apache Tribe for delivery to the San Carlos Irrigation Project. The Minimum Pool water would accumulate concurrently with the amount of CAP water delivered to SCIP on a daily basis, less losses for evaporation & seepage. The retained water would not be available for apportionments to the Upper Valleys, and in case of spill from the San Carlos Reservoir, would be the first water to spill. The following table tracks the amount of the Minimum Pool by the month after deductions for losses. Daily figures were reported on the Daily Call System, and are available in the Commissioner's Office:

Jan. 01, 2008	5,004
Jan. 31, 2008	4,936
Feb. 29, 2008	4,872
Mar. 31, 2008	4,752

All data is provisional and subject to minor adjustments and corrections.



Jon W. Allred
Gila Water Commissioner

UPPER VALLEYS 2008 CONSUMPTIVE USE TRACKING

MARCH 2008

IN ACRE-FEET

2008 MONTH	CONSUMPTIVE USE		UPPER VALLEYS and San Carlos Apache Tribe		HEAD OF SAFFORD VALLEY		FLOW BALANCE					ACCUM. FLOW BALANCE	TOTAL INFLOW Gila + SF
	RESULT	ACCUM. RESULT	DIVERSIONS	ACCUM DIV'S	GILA RIVER FLOW	GILA R. ACCUM FLOW	FB = CALVA - (INFLOWS - DIVERSIONS)						
							FLOW BALANCE	GILA CALVA	GILA VIRDEN	SAN FRANCISCO CLIFTON	DIV'S		
JAN	7,190	7,190	6,057	6,057	92,733	92,733	(1,133)	88,325	38,892	56,623	6,057	-1,133	95,515
FEB	-34,957	-27,767	6,079	12,136	80,510	173,243	41,036	90,850	28,652	27,241	6,079	39,903	55,893
MAR	3,814	-23,953	22,182	34,318	42,681	215,924	18,368	33,884	14,394	23,304	22,182	58,271	37,698
APR													
MAY													
JUN													
JUL													
AUG													
SEP													
OCT													
NOV													
DEC													
TOTALS	-23,953		34,318		215,924		58,271	213,059	81,938	107,168	34,318		189,106

Graph

Graph


NOTES:

Flow Balance is shown only as an indicator of potential consumptive use. It has not been adopted as the only indicator or guideline in projecting actual consumptive use under the Gila Decree.

When Cumulative Flow Balance, during January, February, and March is less than 7,000 A-F, it is recommended to REGULATE diversions during March, April, and May such that Consumptive Use is limited to 75,000 Acre-feet BEFORE the end of May, and 90,000 A-F BEFORE the end of August.

Graph →

MAXIMUM Consumptive Use Recommended	
JAN-MAY	75,000
JUN	80,000
JUL	85,000
AUG	90,000
SEP-OCT	100,000
NOV-DEC	120,000
Max Cons Use	



DETERMINATION OF PRIORITY WATER

MARCH 2008

Mean daily discharge - cubic feet per second

		SAN CARLOS RESERVOIR					ASHURST-HAYDEN DAM					DAILY CALL SYSTEM		Version 7.08				
		RELEASES			STORAGE									COMPUTED PRIORITY YEAR				
#REF!	River Inflow	Total	Natural Flow	Stored	Inflow Minus Outflow	Ac-ft change S C Res.	MAR	Sluiced and/or Spilled	Diverted	Stored	Natural Flow	Gain/Loss Nat. Flow	Nat. Flow Available to Project	MAR	Duncan Virden	Safford	Winkelman	Ashurst-Hayden
FEB 29	846	296	296		550	1041	1				330	34	880	1	1924	1924	1924	1924
MAR 1	789	327	327		462	1329	2				346	19	808	2	"	"	"	"
2	804	349	349		455	761	3				365	16	820	3	"	"	"	"
3	859	352	352		507	763	4				367	15	874	4	"	"	"	"
4	934	368	368		566	764	5				380	12	946	5	"	"	"	"
5	952	380	380		572	1053	6				392	12	964	6	"	"	"	"
6	911	380	380		531	766	7				393	13	924	7	"	"	"	"
7	846	380	380		466	864	8				396	16	862	8	"	"	"	"
8	789	380	380		409	674	9				397	17	806	9	"	"	"	"
9	740	380	380		360	674	10				395	15	755	10	"	"	"	"
10	697	380	380		317	386	11				395	15	712	11	"	"	"	"
11	644	380	380		264	483	12				396	16	660	12	"	"	"	"
12	592	410	410		182	386	13				416	6	598	13	"	"	"	"
13	551	447	447		104	193	14				443	-4	547	14	"	"	"	"
14	516	488	488		28	-386	15				476	-12	504	15	"	"	"	"
15	502	504	502	2	-2	-97	16			2	494	-8	494	16	"	"	"	"
16	492	527	492	35	-35	-193	17			31	487	-5	487	17	"	"	"	"
17	483	542	483	59	-59	-97	18			52	469	-14	469	18	1921	"	"	"
18	468	542	468	74	-74	-97	19			65	463	-5	463	19	1915	1921	"	"
19	453	543	453	90	-90	-193	20			79	451	-2	451	20	"	1915	"	"
20	432	579	432	147	-147	-290	21			129	426	-6	426	21	"	"	1921	1921
21	405	604	405	199	-199	-386	22			175	395	-10	395	22	"	"	1915	1915
22	384	636	384	252	-252	-674	23			222	384		384	23	"	"	"	"
23	364	678	364	314	-314	-577	24			276	360	-4	360	24	"	"	"	"
24	353	691	353	338	-338	-672	25			297	350	-3	350	25	"	"	"	"
25	335	690	335	355	-355	-766	26			312	338	3	338	26	"	"	"	"
26	320	690	320	370	-370	-861	27			326	325	5	325	27	"	"	"	"
27	301	690	301	389	-389	-860	28			342	310	9	310	28	"	"	"	"
28	292	690	292	398	-398	-668	29			350	302	10	302	29	"	"	"	"
29	293	690	293	397	-397	-857	30			349	303	10	303	30	"	"	"	"
30	291	690	291	399	-399	-950	31			351	305	14	305	31	1913	"	"	"
31	291	690	291	399	-399	-758												

24 hour lag allowed between Coolidge/Ashurst-Hayden Dams.

12% transit loss on daily Stored releases...

GILA RIVER BASIN ABOVE KELVIN

U S Department of the Interior
Geological Survey

MARCH 2008

Provisional mean daily discharge - cubic feet per second

MAR	Gila Virden	Gila Clifton	San Francisco Clifton	Gila at Head of Safford Valley	Gila Calva	San Carlos Peridot	Gila Below Coolidge Dam	San Carlos Reservoir		Gila Kelvin
								2400 Hours Elevation in Feet	Usable Contents in Ac-ft	
1	351	282	564	991	789		327	2471.85	363690	362
2	364	281	640	1050	804		349	2471.93	364451	413
3	383	287	689	1120	859		352	2472.01	365214	419
4	394	303	628	1110	934		368	2472.09	365978	423
5	375	311	553	1040	952		380	2472.20	367030	449
6	346	292	498	971	911		380	2472.28	367796	454
7	321	273	453	905	846		380	2472.37	368661	456
8	294	262	418	847	789		380	2472.44	369334	459
9	268	248	393	802	740		380	2472.51	370009	462
10	249	232	367	756	697		380	2472.55	370395	455
11	233	223	343	715	644		380	2472.60	370877	458
12	215	215	332	685	592		410	2472.64	371263	457
13	202	201	331	657	551		447	2472.66	371457	493
14	191	196	337	644	516		488	2472.62	371070	536
15	190	188	350	645	502		504	2472.61	370974	589
16	195	185	355	645	492		527	2472.59	370781	596
17	205	183	349	636	483		542	2472.58	370684	632
18	194	189	334	622	468		542	2472.57	370588	635
19	181	184	311	603	453		543	2472.55	370395	634
20	171	177	293	571	432		579	2472.52	370105	634
21	164	170	281	551	405		604	2472.48	369719	683
22	161	163	275	528	384		636	2472.41	369045	691
23	157	157	271	515	364		678	2472.35	368469	732
24	158	154	273	501	353		691	2472.28	367796	763
25	155	152	279	497	335		690	2472.20	367030	769
26	160	150	281	485	320		690	2472.11	366169	771
27	170	151	293	485	301		690	2472.02	365309	773
28	185	153	300	485	292		690	2471.95	364642	774
29	193	160	315	485	293		690	2471.86	363785	776
30	206	164	321	486	291		690	2471.76	362835	780
31	226	172	322	485	291		690	2471.68	362077	779
Total	7257	6458	11749	21518	17083		16077			18307
Ac-ft	14394	12809	23304	42681	33884		31889			36312

GERONIMO STATION REPORT

MARCH 2008

Limits Set By Court

1600 uS/cm Moderate Action - 1800 uS/cm Severe Action

MAR	AxSYS LOGGER			IRR. SEASON CUMULATIVE AVG EC MICRO-S/CM	WD-10 HAND-HELD METER			SCAR CALL CFS
	FLOW	MEAN DAILY EC	TEMP.		INSTANT. EC	TEMP.	MEAN DAILY EC	
	CFS	MICRO-S/CM	C°		MICRO-S/CM	C°	MICRO-S/CM	
1	860	850	14.5	850				
2	940	820	14.0	835				
3	930	750	11.8	807				
4	970	720	11.3	785	700	11.5		
5	930	700	11.0	768				
6	890	720	12.0	760				
7	810	730	12.1	756				
8	760	770	12.5	758				
9	740	810	12.6	763				
10	760	1220	11.8	809				
11	660	1250	12.0	849	1220	11.8		
12	570	1280	11.0	885				
13	540	1360	11.0	922	1360	16.6		
14	510	1380	17.8	954				
15	512	1360	17.0	981				
16	510	1370	15.0	1006				
17	500	1370	11.8	1027				
18	550	1390	12.0	1047	1390	13.7		
19	500	1400	11.0	1066				
20	475	1420	12.0	1084				
21	470	1430	12.0	1100				2.45
22	430	1440	13.0	1115				2.45
23	420	1450	12.0	1130				2.45
24	400	1460	12.0	1144				2.45
25	400	1650	12.0	1164	1910	17.4		2.45
26	350	1850	12.0	1190				2.45
27	330	1900	12.5	1217				2.45
28	335	1800	13.0	1238				2.45
29	310	1850	13.8	1259				2.45
30	330	1890	13.0	1280				2.45
31	320	1910	12.5	1300				2.45

RELATIVE DIVERSION RIGHT BASED ON DIVERSION RIGHT OF ONE CUBIC FOOT PER SECOND FOR EACH EIGHTY ACRES

THEN BEING IRRIGATED March 2008

REVISED TO 3/1/08

Year of Prior.	Duncan Valley		Safford Valley		Total Upper Valleys		San Carlos Indian Reserv.		Winkelman Valley Decreed				U.S.A. Decreed	GRIC Decreed	GRIC TBI	SCIDD Decreed	SCIDD Decreed	SCIDD TBI	Total Decreed	Total TBI	Total USA TBI	Year of Prior.										
	Decreed	TBI 2008	Decreed	TBI 2008	Decreed	TBI 2008	Decreed	TBI 2008	ASARCO Ind.*	KEARNY Ind.*	Agr. LANDS	TBI 2008																				
Immem. Rights																																
1846													437.5	437.5	230.4		ACCUMULATED		437.5	230.4	230.4	Immem. Rights										
1868								12.5	3.9				449.5				12.0	12.0	450.0	234.3	237.6	1846										
1869													460.2				10.7	22.7	462.0	241.5	244.0	1868										
1872			0.4	0.3	0.4	0.3							467.7				7.5	30.2	472.7	247.9	244.0	1869										
1873			1.0	0.7	1.0	0.7							469.7				2.0	32.2	480.6	252.6	248.4	1872										
1874	6.3	4.6	7.9	5.8	14.2	10.4							469.9				0.2	32.4	483.2	254.2	249.6	1873										
1875			16.5	12.3	22.8	16.9							473.8				3.9	36.3	496.6	264.1	249.8	1874										
1876			24.3	18.4	30.6	23.0							479.5				5.7	42.0	509.1	272.9	252.1	1875										
1877			35.4	27.1	41.7	31.7							481.5		0.3	0.0		2.0	44.0	522.6	282.4	255.5	1876									
1878			43.9	33.3	50.2	37.9							481.8				0.4	44.3	536.1	292.4	256.7	1877										
1879			51.2	38.9	57.5	43.5							484.5				2.6	47.0	545.7	299.6	256.9	1878										
1880			62.2	48.0	68.5	52.6							484.9				0.5	47.4	556.9	308.0	258.5	1879										
1881	12.1	8.7	72.7	56.7	84.8	65.4												572.0	319.1	258.7	1880											
1882	13.2	9.5	85.6	67.2	98.8	76.7												588.3	331.9		1881											
1883			104.8	82.8	118.0	92.3												602.3	343.2		1882											
1884			104.8	82.8	118.0	92.3												621.5	358.8		1883											
1884	13.7	9.8	126.1	100.4	139.8	110.2							485.3				0.3	47.8	647.0	380.1	259.0	1884										
1885	19.3	13.0	142.0	113.0	161.3	126.0							486.6				1.4	49.1	670.5	397.3	259.7	1885										
1886	22.2	14.7	160.8	128.0	183.0	142.7							486.9				0.3	49.4	692.5	414.2	259.9	1886										
1887	22.9	15.2	171.0	135.9	193.9	151.1												704.7	423.4		1887											
1888	30.5	19.5	179.3	142.6	209.8	162.1												720.6	434.4		1888											
1889	31.8	20.3	191.4	152.3	223.2	172.6												736.6	446.5		1889											
1890			202.8	161.0	234.6	181.3							489.5				2.6	52.0	749.9	456.3	261.5	1890										
1891	32.3	20.6	215.6	171.4	247.9	192.0							491.3				1.8	53.8	775.4	474.3	269.8	1891										
1892	33.5	21.5	221.2	175.9	254.7	197.4							503.5				12.2	66.0	787.2	482.7	272.8	1892										
1893	34.4	22.1	228.0	181.3	262.4	203.4							508.5				5.0	71.0	798.9	491.1	275.2	1893										
1894	37.7	24.0	230.3	183.0	268.0	207.0							514.9				2.4	77.4	806.9	496.1	276.6	1894										
1895	42.0	26.8	235.5	187.4	277.5	214.2							524.2				9.3	86.7	826.2	509.4	282.2	1895										
1896	45.4	28.9	246.0	196.1	291.4	225.0							528.1				3.9	90.6	844.0	522.5	284.5	1896										
1897	59.8	36.6	249.7	199.1	309.5	235.7												862.1	533.2		1897											
1898	69.9	42.8	253.0	202.0	322.9	244.8							528.5				0.5	91.0	875.9	542.6	284.8	1898										
1899			260.3	207.8	330.2	250.6							528.6				0.1	91.1	883.3	548.4	284.8	1899										
1900	75.4	45.8	270.7	216.5	346.1	262.3												899.2	560.1		1900											
1901	76.1	45.8	277.7	222.5	353.8	268.3							529.1				0.5	91.6	907.4	566.4	285.1	1901										
1902	78.2	45.8	283.2	226.8	361.4	272.6												915.0	570.7		1902											
1903	79.3	45.8	288.4	231.2	367.7	277.0												921.3	575.1		1903											
1904	81.3	46.8	318.7	255.8	400.0	302.6							529.7				0.6	92.2	954.2	601.1	285.5	1904										
1905	82.4	47.3	321.6	258.1	404.0	305.4												958.2	603.9		1905											
1906	83.4	47.4	326.1	261.9	409.5	309.3												963.9	608.0		1906											
1907	85.1	47.4	350.4	280.7	435.5	328.1												989.9	626.8		1907											
1908	89.1	48.6	354.4	284.2	443.5	332.8												1006.2	636.6		1908											
1909	90.4	48.6	358.5	287.8	448.9	336.4							538.4				3.4	100.9	1027.3	654.5	290.7	1909										
1910	91.1	48.7	365.6	294.0	456.7	342.7							540.1				1.7	102.6	1036.8	661.8	291.7	1910										
1911	92.0	49.1	366.6	294.9	458.6	344.0							542.1				2.0	104.6	1040.7	664.3	292.9	1911										
1912	92.2	49.3	372.4	299.8	464.6	349.1							543.8				1.8	106.3	1048.4	670.4	293.9	1912										
1913	92.3	49.3	380.6	307.2	472.9	356.5							558.9				15.1	121.4	1071.8	686.8	302.9	1913										
1914	93.0	49.7	383.6	309.8	476.6	359.5							569.3				10.3	131.8	1085.9	696.1	309.2	1914										
1915	93.5	49.9	390.3	315.8	483.8	365.7												1093.1	702.3		1915											
1916	93.6	50.0	392.2	317.6	485.8	367.6							775.0				205.7	1301.7	827.1	432.1		1916										
1917	98.4	53.2	397.4	321.8	495.8	375.0												1311.7	834.5		1917											
1918	99.5	53.9	399.0	323.2	498.5	377.1												1314.4	836.6		1918											
1919	99.8	53.9	404.4	328.0	504.2	381.9												1320.1	841.4		1919											
1920	100.0	54.0	406.3	329.7	506.3	383.7												1322.5	843.2		1920											
1921					506.3	383.7													1322.5	843.2		1921										
1924						383.7													1804.0	1014.8	603.7	1924										
1926	100.1	54.0			506.4	383.7							1256.5	194.3			287.2	1804.4	1014.8		1926											
1929	100.6	54.3			507.0	384.0												1804.9	1015.1		1929											
Total	100.6	54.3	406.4	329.7	507.0	384.0	12.5	3.9	22.2	1.3	5.5	0.0	1256.5	437.5	230.4	624.7	624.7	373.3	1805.0	1015.1	603.7	Total										
													ALL GRIC= 50,546.00																			
													IRRIGATED		18,432.11		29,860.59		79,430.59		TBI ACRES											
% REDUCTION													46.10%		18.86%		24.25%		68.86%		94.28%		100.00%		47.34%		40.25%		44.99%		% REDUCTION	
% ACRES TBI													53.90%		81.14%		75.75%		31.14%		5.72%		0.00%		52.66%		59.75%		55.01%		% ACRES TBI	
													GRIC BASED ON 35,000 ACRES IMMEMORIAL																			

Note: * Industrial and Municipal use.
Modified effective March 1, 2007 in accordance with court order.

**SUMMARY OF TBI ACRES
and
MAXIMUM DIVERSIONS
ALLOWED**

March 2008

Canal Company	Acres TBI	Max Acres	Acres not TBI	Max Div Allowed
Sunset	1,994.46	2,759.90	765.44	24.93
New Model	1,533.75	2,717.55	1,183.80	19.17
Valley	817.00	1,387.20	570.20	10.21
Laura Short	0.00	36.50	36.50	0.00
Brown	818.02	1,326.90	508.88	10.23
Fourness	189.60	210.70	21.10	2.37
San Jose	3,436.37	4,150.03	713.66	42.95
Montezuma	3,593.10	4,835.96	1,242.86	44.91
Union Sunflower	5,218.14	7,371.96	2,153.82	65.23
Graham	3,736.96	4,217.68	480.72	46.71
Smithville	2,254.71	2,549.33	294.62	28.18
Dodge Nevada	2,372.84	2,516.54	143.70	29.66
Curtis	1,756.36	1,971.70	215.34	21.95
Fort Thomas	2,858.15	3,155.70	297.55	35.73
Colvin-Jones	145.30	205.90	60.60	1.82
Total Upper Valleys	30,724.76	39,413.55	8,688.79	384.05
Apache	311.40	1,000.00	688.60	3.89
SCIDD	29,860.59	50,000.00	20,139.41	373.26
GRIC	18,432.11	50,546.00	32,113.89	230.40
SCIIP = SCIDD + GRIC	48,292.70	100,546.00	52,253.30	603.66
ASARCO	0.00	1779.44	1779.44	22.24
Kearny	101.73	101.73	0.00	1.27
Winkelman Ag	0.00	440.43	440.43	0.00
Total Winkelman	101.73	2321.60	2219.87	23.51

SAN CARLOS RESERVOIR MINIMUM POOL

March 2008

Date	Elevation	Storage	Area	Reservoir loss ac-ft by elev.	CAP Water Delivered cfs	CAP Water Delivered Ac-ft	Minimum Pool Ac-ft	Avail. for release	% pool of total Storage	Evap	Computed Evaporation Ac-ft	Seepage Loss 7.41%	Total Losses Ac-ft	Minimum Pool Loss Ac-ft	Accumulated
															Minimum Pool Loss Ac-ft
01-Mar-08	2,471.85	363,690	9,508	1,329	0	0.00	4,870	358,820	1.34%	0.218	120.91	73.83	194.74	2.61	34935.13
02-Mar-08	2,471.93	364,451	9,524	761	0	0.00	4,867	359,584	1.34%	0.185	102.78	73.99	176.77	2.36	34937.49
03-Mar-08	2,472.01	365,214	9,540	763	0	0.00	4,865	360,349	1.33%	0.194	107.96	74.14	182.10	2.43	34939.92
04-Mar-08	2,472.09	365,978	9,556	764	0	0.00	4,863	361,115	1.33%	0.133	74.14	74.30	148.44	1.97	34941.89
05-Mar-08	2,472.20	367,030	9,578	1,052	0	0.00	4,860	362,170	1.32%	0.236	131.86	74.51	206.37	2.73	34944.62
06-Mar-08	2,472.28	367,796	9,594	766	0	0.00	4,857	362,939	1.32%	0.208	116.41	74.67	191.07	2.52	34947.14
07-Mar-08	2,472.37	368,661	9,612	864	0	0.00	4,853	363,808	1.32%	0.510	285.96	74.84	360.80	4.75	34951.89
08-Mar-08	2,472.44	369,334	9,626	674	0	0.00	4,850	364,484	1.31%	0.179	100.51	74.98	175.49	2.30	34954.20
09-Mar-08	2,472.51	370,009	9,640	674	0	0.00	4,848	365,161	1.31%	0.237	133.27	75.12	208.39	2.73	34956.93
10-Mar-08	2,472.55	370,395	9,648	386	0	0.00	4,845	365,550	1.31%	0.266	149.70	75.20	224.90	2.94	34959.87
11-Mar-08	2,472.60	370,877	9,657	483	0	0.00	4,842	366,035	1.31%	0.256	144.21	75.29	219.50	2.87	34962.74
12-Mar-08	2,472.64	371,263	9,665	386	0	0.00	4,834	366,429	1.30%	0.928	523.20	75.37	598.57	7.79	34970.53
13-Mar-08	2,472.66	371,457	9,669	193	0	0.00	4,831	366,625	1.30%	0.246	138.75	75.41	214.16	2.79	34973.31
14-Mar-08	2,472.62	371,070	9,661	-387	0	0.00	4,828	366,242	1.30%	0.302	170.19	75.33	245.53	3.19	34976.51
15-Mar-08	2,472.61	370,974	9,659	-96	0	0.00	4,825	366,149	1.30%	0.289	162.83	75.31	238.15	3.10	34979.61
16-Mar-08	2,472.59	370,781	9,655	-194	0	0.00	4,822	365,958	1.30%	0.264	148.69	75.27	223.96	2.91	34982.52
17-Mar-08	2,472.58	370,684	9,653	-97	0	0.00	4,820	365,864	1.30%	0.208	117.12	75.25	192.38	2.50	34985.02
18-Mar-08	2,472.57	370,588	9,651	-97	0	0.00	4,817	365,771	1.30%	0.264	148.63	75.23	223.86	2.91	34987.93
19-Mar-08	2,472.55	370,395	9,648	-193	0	0.00	4,813	365,581	1.30%	0.342	192.48	75.20	267.67	3.48	34991.41
20-Mar-08	2,472.52	370,105	9,642	-290	0	0.00	4,810	365,295	1.30%	0.362	203.61	75.14	278.74	3.62	34995.03
21-Mar-08	2,472.48	369,719	9,634	-386	0	0.00	4,806	364,913	1.30%	0.374	210.18	75.06	285.24	3.71	34998.74
22-Mar-08	2,472.41	369,045	9,620	-674	0	0.00	4,802	364,243	1.30%	0.363	203.70	74.92	278.62	3.63	35002.36
23-Mar-08	2,472.35	368,469	9,608	-577	0	0.00	4,798	363,670	1.30%	0.376	210.74	74.80	285.54	3.72	35006.08
24-Mar-08	2,472.28	367,796	9,594	-672	0	0.00	4,795	363,002	1.30%	0.368	205.95	74.67	280.62	3.66	35009.74
25-Mar-08	2,472.20	367,030	9,578	-766	0	0.00	4,791	362,239	1.31%	0.373	208.40	74.51	282.91	3.69	35013.43
26-Mar-08	2,472.11	366,169	9,560	-861	0	0.00	4,769	361,400	1.30%	0.398	221.95	74.34	296.29	3.87	35017.31
27-Mar-08	2,472.02	365,309	9,542	-860	0	0.00	4,765	360,544	1.30%	0.389	216.52	74.16	290.69	3.81	35021.11
28-Mar-08	2,471.95	364,642	9,528	-667	0	0.00	4,762	359,880	1.31%	0.266	147.84	74.03	221.87	2.91	35024.02
29-Mar-08	2,471.86	363,785	9,510	-857	0	0.00	4,759	359,026	1.31%	0.287	159.21	73.85	233.07	3.06	35027.08
30-Mar-08	2,471.76	362,835	9,490	-950	0	0.00	4,756	358,079	1.31%	0.277	153.34	73.66	227.00	2.99	35030.07
31-Mar-08	2,471.68	362,077	9,474	-758	0	0.00	4,752	357,324	1.31%	0.377	208.35	73.51	281.86	3.71	35033.78

Small Parcels & Non-Agricultural Use Report

MARCH 2008

Decreed lands of less than 2 acres and lands used for other than agricultural purposes, using Gila River water

*Note: Multiple Use Acres are those acres used for any combination of Lawn, Trees, Garden, Orchard, or Pasture.									
Irrigation District / Canal Co.	*Multiple Use Acres	Yard Acres	Garden Acres	Orchard Acres	Pasture Acres	Commercial Acres	Non-Agri. Acres	Decreed Acres	Total "TBI" Acres
Franklin Irr. Dist.									
Sunset Canal	18.90	5.45	0.60	0.21	0.00	0.00	0.00	36.92	25.16
New Model Canal	5.29	1.00	0.00	0.00	0.00	0.00	0.00	11.23	6.29
Valley Canal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
FID Total	24.19	6.45	0.60	0.21	0.00	0.00	0.00	48.15	31.45
Gila Valley Irr. Dist.									
Brown Canal	1.40	0.00	0.00	0.00	0.00	0.00	0.00	1.40	1.40
Fourness Canal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
San Jose Canal	18.36	0.00	0.00	1.51	2.51	0.00	0.00	30.02	22.38
Montezuma Canal	2.88	0.00	0.00	0.00	1.10	0.00	0.00	5.82	3.98
Highline Canal	62.16	0.09	0.69	0.14	2.95	1.05	0.00	87.26	67.08
Union Canal	111.71	0.00	0.44	3.10	18.13	0.00	0.00	162.44	133.38
Graham Canal	11.45	0.00	0.00	0.00	2.80	0.00	0.00	16.83	14.25
Smithville Canal	19.83	0.00	0.00	0.00	2.45	0.00	0.00	28.02	22.28
Dodge-Nevada Canal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Curtis Canal	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.50
Ft. Thomas Canal	4.23	0.00	0.00	1.50	0.40	0.00	0.00	6.80	6.13
Colvin-Jones Canal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GVID Total	232.52	0.09	1.13	6.25	30.34	1.05	0.00	339.09	271.38
San Carlos Irr. Dist.									
SCIDD Total	6.84	0.00	0.00	0.00	0.00	0.00	0.00	12.36	6.84
TOTAL ACRES	263.55	6.54	1.73	6.46	30.34	1.05	0.00	399.60	309.67

DUNCAN VALLEY

Original Decree - 8,061.35 Acres
T.B.I. - 4,345.21 Acres

MARCH 2008

Mean daily diversions - cubic feet per second

Original Decreed Acres -		Sunset Canal 2759.90			New Model Canal 2717.55			Valley Canal 1387.20		
T.B.I. Acres -		1994.46 acres 24.9			1533.75 acres 19.2			817.00 acres 10.2		
Priority	MAR	Total	Priority	Apport	Total	Priority	Apport	Total	Priority	Apport
1924	1	20.5	20.5		17.5	17.5		9.1	9.1	
"	2	24.5	24.5		17.5	17.5		9.0	9.0	
"	3	24.5	24.5		17.6	17.6		8.4	8.4	
"	4	24.0	24.0		18.1	18.1		9.5	9.5	
"	5	24.0	24.0		18.1	18.1		9.9	9.9	
"	6	24.0	24.0		17.9	17.9		9.7	9.7	
"	7	24.0	24.0		16.4	16.4		9.4	9.4	
"	8	24.0	24.0		14.8	14.8		9.7	9.7	
"	9	23.8	23.8		12.9	12.9		9.9	9.9	
"	10	23.6	23.6		10.2	10.2		10.0	10.0	
"	11	23.1	23.1		9.3	9.3		9.9	9.9	
"	12	24.2	24.2		9.3	9.3		10.1	10.1	
"	13	24.3	24.3		9.3	9.3		10.3	10.2	0.1
"	14	24.1	24.1		9.2	9.2		10.1	10.1	
"	15	24.0	24.0		9.3	9.3		10.0	10.0	
"	16	23.9	23.9		9.2	9.2		10.2	10.2	
"	17	24.0	24.0		9.3	9.3		9.9	9.9	
1921	18	24.0	24.0		8.9	8.9		9.8	9.8	
1915	19	24.0	21.2	2.8	8.7	8.7		9.8	9.8	
"	20	24.0	21.2	2.8	9.2	9.2		9.8	9.8	
"	21	24.0	21.2	2.8	11.0	11.0		9.8	9.8	
"	22	23.9	21.2	2.7	11.6	11.6		9.6	9.6	
"	23	23.6	21.2	2.4	11.4	11.4		9.8	9.8	
"	24	23.8	21.2	2.6	12.0	12.0		10.0	10.0	
"	25	24.0	21.2	2.8	11.9	11.9		10.2	10.0	0.2
"	26	24.0	21.2	2.8	11.7	11.7		10.0	10.0	
"	27	23.2	21.2	2.0	11.9	11.9		9.9	9.9	
"	28	24.0	21.2	2.8	12.0	12.0		9.7	9.7	
"	29	24.1	21.2	2.9	11.8	11.8		9.6	9.6	
"	30	24.0	21.2	2.8	10.2	10.2		10.1	10.0	0.1
1913	31	24.0	21.0	3.0	10.3	10.3		10.0	9.8	0.2
Total CFS		739.1	703.9	35.2	378.5	378.5		303.2	302.6	0.6
Total Acre-feet		1466			751			601		
Duty of Total div A-F/A		0.74			0.49			0.74		
Tabulations in Ac-Ft										
Apportioned diverted		70						1		
Previous Apport div										
Apport div to date		70						1		
Apportionment		11967			9203			4902		
Apport credit to date		11897			9203			4901		
Priority diverted		1396			751			600		
Previous Priority div		309			773			278		
Priority div to date		1705			1524			878		
Total div to date		1775			1524			879		
Duty of Apport to date		0.04								
Duty of Total div to date		0.89			0.99			1.08		

Note: Conversions of CFS to AC-FT are COMPUTER-ROUNDED with general accuracy rated "excellent".

Sunset Canal has 2,433.9 acres in New Mexico and 316.0 acres in Arizona.

New Model Canal has 426.2 acres in New Mexico and 2,301.35 acres in Arizona.

SAFFORD VALLEY

Original Decree - 32,512.40 Acres
T.B.I. - 26,379.55 Acres

MARCH 2008

Mean daily diversions - cubic feet per second

		Consold. Brown Canal			Fourness			San Jose Canal			Montezuma Canal			Union Canal			Graham Canal		
Original Decreed Acres -		1326.90			210.70			4150.03			4835.96			7371.96			4217.68		
T.B.I. Acres -		818.02	acres	10.2	189.60	acres	2.4	3436.37	acres	43.0	3593.10	acres	44.9	5218.14	acres	65.2	3736.96	acres	46.7
Priority	MAR	Total	Priority	Apport	Total	Priority	Apport	Total	Priority	Apport	Total	Priority	Apport	Total	Priority	Apport	Total	Priority	Apport
1924	1	5.1	5.1		2.4	2.4		43.0	43.0		42.8	42.8		65.0	65.0		45.4	45.4	
"	2	5.2	5.2		2.4	2.4		43.0	43.0		42.4	42.4		65.0	65.0		46.3	46.3	
"	3	5.3	5.3		2.4	2.4		43.0	43.0		42.8	42.8		65.0	65.0		46.7	46.7	
"	4	5.3	5.3		2.4	2.4		43.1	43.0	0.1	43.8	43.8		65.0	65.0		46.1	46.1	
"	5	7.9	7.9		2.4	2.4		43.0	43.0		41.0	41.0		65.0	65.0		45.8	45.8	
"	6	9.8	9.8		2.4	2.4		43.0	43.0		40.1	40.1		65.0	65.0		45.4	45.4	
"	7	9.6	9.6		2.4	2.4		43.0	43.0		40.1	40.1		65.0	65.0		45.2	45.2	
"	8	9.6	9.6		2.4	2.4		43.0	43.0		39.6	39.6		65.0	65.0		45.2	45.2	
"	9	9.4	9.4		2.4	2.4		43.0	43.0		40.5	40.5		65.0	65.0		45.0	45.0	
"	10	9.5	9.5		2.4	2.4		43.0	43.0		40.1	40.1		65.0	65.0		44.8	44.8	
"	11	9.8	9.8		2.4	2.4		43.0	43.0		41.4	41.4		65.0	65.0		43.4	43.4	
"	12	9.7	9.7		2.4	2.4		43.0	43.0		40.9	40.9		65.0	65.0		41.5	41.5	
"	13	9.6	9.6		2.4	2.4		43.0	43.0		40.7	40.7		65.0	65.0		44.3	44.3	
"	14	9.5	9.5		2.4	2.4		43.0	43.0		37.3	37.3		65.0	65.0		46.0	46.0	
"	15	9.2	9.2		2.4	2.4		43.0	43.0		37.0	37.0		65.0	65.0		46.1	46.1	
"	16	9.4	9.4		2.4	2.4		43.0	43.0		38.7	38.7		65.0	65.0		46.4	46.4	
"	17	9.7	9.7		2.4	2.4		43.0	43.0		38.8	38.8		65.0	65.0		46.4	46.4	
"	18	9.6	9.6		2.4	2.4		43.0	43.0		39.2	39.2		65.0	65.0		46.7	46.7	
1921	19	9.9	9.9		2.4	2.4		43.0	43.0		38.3	38.3		65.0	65.0		46.7	46.7	
1915	20	9.8	9.8		2.4	2.4		43.0	42.6	0.4	39.5	39.5		65.0	64.4	0.6	46.3	43.3	3.0
"	21	9.5	9.5		2.4	2.4		43.0	42.6	0.4	39.9	39.9		65.0	64.4	0.6	45.8	43.3	2.5
"	22	9.3	9.3		2.4	2.4		43.0	42.6	0.4	39.4	39.4		65.0	64.4	0.6	46.0	43.3	2.7
"	23	9.3	9.3		2.4	2.4		43.0	42.6	0.4	39.0	39.0		65.0	64.4	0.6	46.4	43.3	3.1
"	24	9.7	9.7		2.4	2.4		43.0	42.6	0.4	40.4	40.4		65.0	64.4	0.6	46.4	43.3	3.1
"	25	10.0	9.9	0.1	2.4	2.4		43.0	42.6	0.4	40.5	40.5		65.0	64.4	0.6	46.4	43.3	3.1
"	26	10.0	9.9	0.1	2.4	2.4		43.0	42.6	0.4	40.3	40.3		65.0	64.4	0.6	46.0	43.3	2.7
"	27	10.1	9.9	0.2	2.4	2.4		43.0	42.6	0.4	40.3	40.3		65.0	64.4	0.6	45.9	43.3	2.6
"	28	10.2	9.9	0.3	2.4	2.4		43.0	42.6	0.4	40.4	40.4		65.0	64.4	0.6	46.4	43.3	3.1
"	29	10.0	9.9	0.1	2.4	2.4		43.0	42.6	0.4	40.3	40.3		65.0	64.4	0.6	46.1	43.3	2.8
"	30	9.7	9.7		2.4	2.4		43.0	42.6	0.4	40.6	40.6		65.0	64.4	0.6	46.1	43.3	2.8
"	31	9.7	9.7		2.4	2.4		43.0	42.6	0.4	40.1	40.1		65.0	64.4	0.6	46.4	43.3	3.1
Total CFS		280.4	279.6	0.8	74.4	74.4		1333.1	1328.2	4.9	1246.2	1246.2		2015.0	2007.8	7.2	1417.6	1383.0	34.6
Total Acre-feet		556			148			2644			2472			3997			2812		
Duty of Total div A-F/A		0.68			0.78			0.77			0.69			0.77			0.75		
Tabulations in Ac-Ft																			
Apportioned diverted		2						10						14			69		
Previous Apport div																			
Apport div to date		2						10						14			69		
Apportionment		4908			1138			20618			21559			31309			22422		
Apport credit to date		4906			1138			20608			21559			31295			22353		
Priority diverted		555			148			2634			2472			3982			2743		
Previous Priority div		260			18			1223			1187			761			1111		
Priority div to date		815			166			3857			3659			4743			3854		
Total div to date		817			166			3867			3659			4757			3923		
Duty of Apport to date																	0.02		
Duty of Total div to date		1.00			0.88			1.13			1.02			0.91			1.05		

Note: Conversions of CFS to AC-FT are COMPUTER-ROUNDED with general accuracy rated "excellent".

SAFFORD VALLEY

Original Decree - 32,512.40 Acres
T.B.I. - 26,379.55 Acres

MARCH 2008

Mean daily diversions - cubic feet per second

		Smithville Canal			Dodge-Nevada Canal			Curtis Canal			Fort Thomas Canal			Colvin-Jones Canal		
Original Decreed Acres -		2549.33			2516.54			1971.70			3155.70			205.90		
T.B.I. Acres -		2254.71			2372.84			1756.36			2858.15			145.30		
Priority		MAR			28.2			29.7			22.0			35.7		
		Total	Priority	Apport	Total	Priority	Apport	Total	Priority	Apport	Total	Priority	Apport	Total	Priority	Apport
1924	1	27.2	27.2		29.6	29.6		22.4	22.0	0.4	35.3	35.3				
"	2	28.4	28.2	0.2	29.6	29.6		20.7	20.7		35.5	35.5				
"	3	27.4	27.4		29.6	29.6		13.5	13.5		35.0	35.0				
"	4	24.7	24.7		29.6	29.6		12.4	12.4		35.1	35.1				
"	5	23.4	23.4		29.6	29.6		12.9	12.9		35.2	35.2				
"	6	24.6	24.6		29.6	29.6		12.5	12.5		34.8	34.8				
"	7	26.6	26.6		29.6	29.6		12.3	12.3		34.4	34.4				
"	8	27.9	27.9		29.6	29.6		12.6	12.6		34.1	34.1				
"	9	27.0	27.0		29.6	29.6		13.5	13.5		34.2	34.2				
"	10	26.5	26.5		29.6	29.6		16.0	16.0		34.2	34.2				
"	11	26.1	26.1		29.6	29.6		17.8	17.8		33.8	33.8				
"	12	26.4	26.4		29.6	29.6		17.4	17.4		33.6	33.6				
"	13	27.2	27.2		29.6	29.6		17.4	17.4		33.6	33.6				
"	14	27.4	27.4		29.6	29.6		17.2	17.2		33.5	33.5				
"	15	27.4	27.4		29.6	29.6		17.5	17.5		34.0	34.0				
"	16	28.1	28.1		29.6	29.6		17.7	17.7		34.7	34.7				
"	17	27.7	27.7		29.6	29.6		19.2	19.2		34.7	34.7				
"	18	27.1	27.1		29.6	29.6		17.5	17.5		35.1	35.1				
1921	19	26.4	26.4		29.6	29.6		16.7	16.7		35.1	35.1				
1915	20	26.0	26.0		29.6	26.1	3.5	19.8	19.8		33.9	33.0	0.9			
"	21	25.7	25.7		29.6	26.1	3.5	23.0	21.4	1.6	33.8	33.0	0.8			
"	22	26.8	26.8		29.6	26.1	3.5	21.6	21.4	0.2	33.9	33.0	0.9			
"	23	27.9	27.3	0.6	29.6	26.1	3.5	20.8	20.8		33.7	33.0	0.7			
"	24	27.5	27.3	0.2	29.6	26.1	3.5	20.7	20.7		33.2	33.0	0.2			
"	25	27.8	27.3	0.5	29.6	26.1	3.5	20.7	20.7		33.4	33.0	0.4			
"	26	27.5	27.3	0.2	29.6	26.1	3.5	20.7	20.7		33.3	33.0	0.3			
"	27	27.6	27.3	0.3	29.6	26.1	3.5	20.7	20.7		33.1	33.0	0.1			
"	28	27.7	27.3	0.4	29.6	26.1	3.5	20.9	20.9		33.7	33.0	0.7			
"	29	27.5	27.3	0.2	29.6	26.1	3.5	20.7	20.7		33.9	33.0	0.9			
"	30	27.7	27.3	0.4	29.6	26.1	3.5	21.0	21.0		34.2	33.0	1.2			
"	31	27.7	27.3	0.4	29.6	26.1	3.5	20.8	20.8		34.4	33.0	1.4			
Total CFS		834.9	831.5	3.4	917.6	875.6	42.0	558.6	556.4	2.2	1060.4	1051.9	8.5			
Total Acre-feet					1820			1108			2103					
Duty of Total div A-F/A		0.73			0.77			0.63			0.74					
Tabulations in Ac-Ft																
Apportioned diverted		7			83			4			17					
Previous Apport div																
Apport div to date		7			83			4			17					
Apportionment		13528			14237			10538			17149			872		
Apport credit to date		13521			14154			10534			17132			872		
Priority diverted		1649			1737			1104			2086					
Previous Priority div		1006			1723			1220			2267					
Priority div to date		2655			3460			2324			4353					
Total div to date		2662			3543			2328			4370					
Duty of Apport to date					0.03						0.01					
Duty of Total div to date		1.18			1.49			1.33			1.53					

Note: Conversions of CFS to AC-FT are COMPUTER-ROUNDED with general accuracy rated "excellent".

Note: Colvin-Jones is permitted, for economic and operational purposes, to pump from the Gila River at full capacity of the pump, limited to a daily average each week that does not exceed maximum authorized diversion of 1/80th ft³/sec.

TOTALS

With San Carlos Apache Tribe Diversions

MARCH 2008

Mean daily diversions - cubic feet per second

Original Decreed Acres -	Duncan Valley			Safford Valley			Totals			San Carlos Apache Tribe Orig - 1000.00 acres			Total Upper Valleys and Apache Tribe		
	4345.21	acres	54.3	26379.55	acres	329.7	30724.76	acres	384.0	311.40	Total T.B.I.	3.9	31,036.16	acres	387.9
T.B.I. Acres -	8061.35			32512.40			40573.75			Black Pt.	Navajo Pt.	And. Flat	Orig - 41,573.75 acres		
Priority	MAR	Total	Priority	Apport	Total	Priority	Apport	Total	Priority	Apport	73.40	152.20	85.80		
1		47.1	47.1		318.2	317.8	0.4	365.3	364.9	0.4					
2		51.0	51.0		318.5	318.3	0.2	369.5	369.3	0.2					
3		50.5	50.5		310.7	310.7		361.2	361.2						
4		51.6	51.6		307.5	307.4	0.1	359.1	359.0	0.1					
5		52.0	52.0		306.2	306.2		358.2	358.2						
6		51.6	51.6		307.2	307.2		358.8	358.8						
7		49.8	49.8		308.2	308.2		358.0	358.0						
8		48.5	48.5		309.0	309.0		357.5	357.5						
9		46.6	46.6		309.6	309.6		356.2	356.2						
10		43.8	43.8		311.1	311.1		354.9	354.9						
11		42.3	42.3		312.3	312.3		354.6	354.6						
12		43.6	43.6		309.5	309.5		353.1	353.1						
13		43.9	43.8	0.1	312.8	312.8		356.7	356.6	0.1					
14		43.4	43.4		310.9	310.9		354.3	354.3						
15		43.3	43.3		311.2	311.2		354.5	354.5						
16		43.3	43.3		315.0	315.0		358.3	358.3						
17		43.2	43.2		316.5	316.5		359.7	359.7						
18		42.7	42.7		315.2	315.2		357.9	357.9						
19		42.5	39.7	2.8	313.1	313.1		355.6	352.8	2.8					
20		43.0	40.2	2.8	315.3	306.9	8.4	358.3	347.1	11.2					
21		44.8	42.0	2.8	317.7	308.3	9.4	362.5	350.3	12.2	1.4				
22		45.1	42.4	2.7	317.0	308.7	8.3	362.1	351.1	11.0	2.3				
23		44.8	42.4	2.4	317.1	308.2	8.9	361.9	350.6	11.3	2.3				
24		45.8	43.2	2.6	317.9	309.9	8.0	363.7	353.1	10.6	2.3				
25		46.1	43.1	3.0	318.8	310.2	8.6	364.9	353.3	11.6	2.3				
26		45.7	42.9	2.8	317.8	310.0	7.8	363.5	352.9	10.6	2.3				
27		45.0	43.0	2.0	317.7	310.0	7.7	362.7	353.0	9.7	2.3				
28		45.7	42.9	2.8	319.3	310.3	9.0	365.0	353.2	11.8	2.3				
29		45.5	42.6	2.9	318.5	310.0	8.5	364.0	352.6	11.4	2.3				
30		44.3	41.4	2.9	319.3	310.4	8.9	363.6	351.8	11.8	2.3				
31		44.3	41.1	3.2	319.1	309.7	9.4	363.4	350.8	12.6	2.3				
Total CFS		1420.8	1385.0	35.8	9738.2	9634.6	103.6	11159.0	11019.6	139.4	24.4				11183.4
Total Acre-feet			2818			19316			22134		48				22182
Duty of Total div A-F/A			0.65			0.73			0.72		0.65				0.71
Tabulations in Ac-Ft															
Apportioned diverted			71			206			277						277
Previous Apport div															
Apport div to date			71			206			277						277
Apportionment			26071			158277			184348						184348
Apport credit to date			26000			158071			184071						184071
Priority diverted			2747			19110			21857		48				21905
Previous Priority div			1360			10776			12136						12136
Priority div to date			4107			29886			33993		48				34041
Total div to date			4178			30092			34270		48				34318
Duty of Apport to date			0.02			0.01			0.01						0.01
Duty of Total div to date			0.96			1.14			1.12		0.65				1.11

Note: Conversions of CFS to AC-FT are COMPUTER-ROUNDED with general accuracy rated "excellent".

WINKELMAN VALLEY

Original decree - 440.43 Acres
T.B.I. -0- Acres Agricultural

MARCH 2008

Mean daily diversions - cubic feet per second

			Kearny, AZ			Agricultural			
			Domestic & Municipal			JJ Anderson			Total
			101.73	acres	(A-F)	196.27	acres	(A-F)	440.43
			101.73	acres	78	acres			
MAR	ASARCO Incorporated Industrial & Municipal Article IX Diversions	Priority Year	Total	Priority	Apport	Total	Priority	Apport	
1	10.4	1924	0.37	0.37					
2	13.2	"	0.37	0.37					
3	11.4	"	0.37	0.37					
4	12.7	"	0.37	0.37					
5	11.4	"	0.37	0.37					
6	11.0	"	0.37	0.37					
7	14.4	"	0.37	0.37					
8	17.8	"	0.37	0.37					
9	14.6	"	0.37	0.37					
10	11.1	"	0.37	0.37					
11	16.5	"	0.37	0.37					
12	18.5	"	0.37	0.37					
13	16.9	"	0.37	0.37					
14	19.1	"	0.37	0.37					
15	18.6	"	0.37	0.37					
16	17.1	"	0.37	0.37					
17	18.4	"	0.37	0.37					
18	14.3	"	0.37	0.37					
19	12.6	"	0.37	0.37					
20	11.7	"	0.37	0.37					
21	13.4	1921	0.37	0.37					
22	13.1	1915	0.37	0.37					
23	11.6	"	0.37	0.37					
24	15.5	"	0.36	0.36					
25	16.3	"	0.36	0.36					
26	12.2	"	0.36	0.36					
27	18.3	"	0.36	0.36					
28	20.2	"	0.36	0.36					
29	18.2	"	0.36	0.36					
30	19.3	"	0.36	0.36					
31	18.6	"	0.36	0.36					
Total CFS			468.4	11.4	11.4				
Total Acre-Feet			929		23				
<i>ASARCO Reported Diversions in Ac-Ft</i>					Duty of Total div A-F/A				0.23
March 2007			945						
Year-To-Date			2501						

Tabulations in Acre Feet

Allocation diverted	929	Apportioned diverted	-
Previous Alloc. Div	1565	Previous Apport div	-
Alloc. Div to date	2494	Apport div to date	-
Article IX Allocation	16221	Apportionment	610
Allocation Remaining	13727	Apport credit to date	610
		Priority diverted	23
		Previous Priority div	26
		Priority div to date	49
		Total div to date	49
		Duty of Apport to date	-
		Duty of Total div to Date	0.48

ASARCO Industrial & Municipal mean daily diversions are derived from daily meter readings. Daily total values are presently not available from an internet web-site.

ASARCO Industrial & Municipal diversions are under ARTICLE IX (not apportioned)

Note: Conversions of GPM/ CFS/ AC-FT are COMPUTER-ROUNDED with general accuracy rated "excellent".

SAN CARLOS PROJECT

Decreed - 102,090.50 Acres
T.B.I. - 48,292.70 Acres

MARCH 2008

Mean daily diversions - cubic feet per second

MAR	Diverted			Passing Dam		Total @ A-H Dam
	Total	Stored	Natural Flow	Spill	Sluice	
1	330		330			330
2	346		346			346
3	365		365			365
4	367		367			367
5	380		380			380
6	392		392			392
7	393		393			393
8	396		396			396
9	397		397			397
10	395		395			395
11	395		395			395
12	396		396			396
13	416		416			416
14	443		443			443
15	476		476			476
16	496	2	494			496
17	518	31	487			518
18	521	52	469			521
19	528	65	463			528
20	530	79	451			530
21	555	129	426			555
22	570	175	395			570
23	606	222	384			606
24	636	276	360			636
25	647	297	350			647
26	650	312	338			650
27	651	326	325			651
28	652	342	310			652
29	652	350	302			652
30	652	349	303			652
31	656	351	305			656
Total	15407	3358	12049			15407
Ac-Ft	30560	6661	23899			30560
Previous To Date	32296 62856		32296 56195	11506 11506		43802 74362
Duty of Total Div	0.63					
Duty af/a To Date	1.30					

Water Passing Dam estimated by San Carlos Irrigation Project...